

# Introduction to the Special Issue of *Psychosomatic Medicine: Mechanisms Linking Early-Life Adversity to Physical Health*

Katie A. McLaughlin, PhD, Richard D. Lane, MD, PhD, and Nicole R. Bush, PhD

In the last 2 decades, a veritable explosion of research into the early-life determinants of physical health has demonstrated that social and environmental factors in early life play a critical role in predicting morbidity and mortality across the life course. In particular, exposure to adverse experiences in childhood—including poverty, abuse, neglect, and violence—has been associated with elevated risk for the onset of a wide range of physical health problems in adulthood. Despite strong evidence for the links between early-life adversity and health outcomes, the mechanisms that underlie these associations remain poorly understood. Exploring these mechanisms is the goal of this special issue of *Psychosomatic Medicine*.

Compelling evidence for the influence of early-life adversity in shaping adult physical health was generated by the Adverse Childhood Experiences Study (1). This seminal study administered a brief survey assessing childhood maltreatment and other types of household dysfunction (e.g., parent criminal behavior, domestic violence) to a large sample of adults who also completed a standardized medical evaluation at a large health maintenance organization. Findings from the Adverse Childhood Experiences Study provide compelling evidence for the association of early-life adversity with many leading causes of morbidity and mortality, including risky health behaviors (e.g., smoking), early markers of disease risk (e.g., obesity), and a wide range of physical health problems including cardiovascular disease, type 2 diabetes, cancer, respiratory diseases, chronic pain, gastrointestinal and metabolic disorders, and neurological and musculoskeletal problems (1,2). These findings have been replicated in numerous retrospective studies of adults (3–6) as well as prospective studies of children and

adolescents (7–10) and confirmed in meta-analysis (11). Strikingly, recent work suggests that early-life adversity is associated with premature mortality (12,13).

Identifying the mechanisms underlying the associations of early-life adversity with poor physical health and chronic disease is critical for developing interventions to mitigate these risks. Although health behaviors are likely to play an important role, prospective studies that have directly examined smoking, alcohol use, physical activity, and body mass index as potential mediators demonstrate that early-life adversity continues to be associated with poor physical health even after adjustment for health behaviors (3,6,7,14). This suggests that other mechanisms are involved in the pathway from early-life adversity to poor health. Numerous conceptual models developed by scholars from diverse backgrounds have proposed that these mechanisms are likely to reflect biological embedding, a process by which early experience alters neurodevelopment and the development of regulatory systems in the body, ultimately culminating in risk for a wide range of disease outcomes, in addition to mechanisms operating at multiple other levels of influence, including psychological and social processes (15–22). However, empirical research on mechanisms linking early adversity with physical health remains limited, particularly in relation to the wealth of knowledge that has accumulated regarding mechanisms explaining the association of adversity with psychopathology. One likely explanation for this pattern is that mental health problems after exposure to adversity typically emerge early in development, whereas many—though not all—chronic diseases and physical morbidities appear later in development, sometimes decades after adversity was experienced. As a result, much remains to be learned about these pathways. The empirical articles in this special issue provide a foundation for future research in this area.

> Related articles on pages 979–1119

From the Department of Psychology (McLaughlin), University of Washington, Seattle; Department of Psychiatry, Psychology, and Neuroscience (Lane), University of Arizona, Tucson; and Departments of Psychiatry and Pediatrics, Center for Health and Community, Division of Developmental Medicine (Bush), University of California San Francisco.

The authors of this editorial served as Guest Editors for this special issue of *Psychosomatic Medicine*.

Address correspondence and reprint requests to Katie A. McLaughlin, PhD, Department of Psychology University of Washington, Box 351525, Seattle, Washington, 98195. E-mail: mcLaughk@uw.edu

Received for publication September 9, 2016; revision received September 20, 2016.

DOI: 10.1097/PSY.0000000000000420

Copyright © 2016 by the American Psychosomatic Society

The articles comprising this special issue draw upon a diverse set of samples to examine a wide range of potential mechanisms operating at multiple levels of influence, spanning physiological and psychosocial pathways that might underlie the associations of early adversity with health. Adverse environmental experiences, occurring in utero and across childhood and adolescence, are considered in relation to health outcomes and precursors of disease from infancy to adulthood. Studies presented here examine mechanisms involved in the association of early-life adversity with physical health outcomes that emerge early in development, such as asthma (23–25) and chronic pain (26), global measures of physical health in childhood and adolescence (27,28), as well as intermediate phenotypes that predate the onset of disease, including adiposity (29), body mass index (24), and biomarkers of cardiometabolic risk (30). Specific physiological mechanisms investigated encompass epigenetic modifications (29,31), alterations in cellular aging (32) and inflammatory processes (23,33), disruptions in stress response systems including the hypothalamic-pituitary-adrenal axis and autonomic nervous system (27,31,34), cardiovascular and metabolic changes (30), and altered pain signaling (35). At the psychosocial level, the role of mental health (24,25,28), social support (24), and family relationship quality (27) are also explored as mechanisms. Together, findings from these articles illuminate a complex array of mechanistic processes across a range of populations, exposures, and outcomes. In our final commentary, we integrate the findings of these articles and provide a framework on how to further advance the knowledge base for mechanisms linking early adversity with physical health (36).

*Source of Funding and Conflicts of Interest:* This study was supported by grants from the National Institute of Mental Health (R01-MH103291 and R01-MH106482 to McLaughlin), the National Heart, Lung and Blood Institute (R01 HL116511 to Bush; R01-HL103692 to Lane), the Robert Wood Johnson Foundation Health and Society Scholars Program Health Disparities Working Group (to Bush), a Jacobs Foundation Early Career Research Fellowship (to McLaughlin), and a Rising Star Award grant from AIM for Mental Health, a program of One Mind Institute (IMHRO) (to McLaughlin). The authors report no conflicts of interest.

## REFERENCES

1. Felitti VJ, Anda RF, Nordenberg D, Williamson DF, Spitz AM, Edwards V, Koss MP, Marks JS. Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults. The adverse childhood experiences (ace) study. *Am J Prev Med* 1998;14:245–58.
2. Anda RF, Felitti VJ, Bremner JD, Walker JD, Whitfield C, Perry BD, Dube SR, Giles WH. The enduring effects of abuse and related adverse experiences in childhood. A convergence of evidence from neurobiology and epidemiology. *Eur Arch Psychiatry Clin Neurosci* 2006;256:174–86.
3. Rich-Edwards JW, Spiegelman D, Lividoti Hibert EN, Jun HJ, Todd TJ, Kawachi I, Wright RJ. Abuse in childhood and adolescence as a predictor of type 2 diabetes in adult women. *Am J Prev Med* 2010;39:529–36.
4. Gilbert LK, Breiding MJ, Merrick MT, Thompson WW, Ford DC, Dhingra SS, Parks SE. Childhood adversity and adult chronic disease: an update from ten states and the District of Columbia, 2010. *Am J Prev Med* 2015;48:345–9.
5. Campbell JA, Walker RJ, Egede LE. Associations between adverse childhood experiences, high-risk behaviors, and morbidity in adulthood. *Am J Prev Med* 2016;50:344–52.
6. Rich-Edwards JW, Mason S, Rexrode K, Spiegelman D, Hibert E, Kawachi I, Jun HJ, Wright RJ. Physical and sexual abuse in childhood as predictors of early-onset cardiovascular events in women. *Circulation* 2012;126:920–7.
7. Duncan AE, Auslander WF, Bucholz KK, Hudson DL, Stein RI, White NH. Relationship between abuse and neglect in childhood and diabetes in adulthood: differential effects by sex, national longitudinal study of adolescent health. *Prev Chronic Dis* 2015;12:E70.
8. Thomas C, Hyppönen E, Power C. Obesity and type 2 diabetes risk in midadult life: the role of childhood adversity. *Pediatrics* 2008;121:e1240–9.
9. Widom CS, Czaja SJ, Bentley T, Johnson MS. A prospective investigation of physical health outcomes in abused and neglected children: new findings from a 30-year follow-up. *Am J Public Health* 2012;102:1135–44.
10. Jones GT, Power C, Macfarlane GJ. Adverse events in childhood and chronic widespread pain in adult life: results from the 1958 British Birth Cohort Study. *Pain* 2009;143:92–6.
11. Wegman HL, Stetler C. A meta-analytic review of the effects of childhood abuse on medical outcomes in adulthood. *Psychosom Med* 2009;71:805–12.
12. Bellis MA, Hughes K, Leckenby N, Hardcastle KA, Perkins C, Lowey H. Measuring mortality and the burden of adult disease associated with adverse childhood experiences in England: a national survey. *J Public Health (Oxf)* 2015;37:445–54.
13. Chen E, Turiano NA, Mroczek DK, Miller GE. Association of reports of childhood abuse and all-cause mortality rates in women. *JAMA Psychiat* 2016;73:920–7.
14. Suglia SF, Clark CJ, Boynton-Jarrett R, Kressin NR, Koenen KC. Child maltreatment and hypertension in young adulthood. *BMC Public Health* 2014;14:1149.
15. Hertzman C. The biological embedding of early experience and its effects on health in adulthood. *Ann N Y Acad Sci* 1999;896:85–95.
16. Schreier HM, Chen E. Socioeconomic status and the health of youth: a multilevel, multidomain approach to conceptualizing pathways. *Psychol Bull* 2013;139:606–54.
17. Repetti RL, Taylor SE, Seeman TE. Risky families: family social environments and the mental and physical health of offspring. *Psychol Bull* 2002;128:330–66.
18. Hertzman C, Boyce T. How experience gets under the skin to create gradients in developmental health. *Annu Rev Public Health* 2010;31:329–47.
19. Shonkoff JP, Boyce WT, McEwen BS. Neuroscience, molecular biology, and the childhood roots of health disparities: building a new framework for health promotion and disease prevention. *JAMA* 2009;301:2252–9.
20. Geronimus AT. The weathering hypothesis and the health of African-American women and infants: evidence and speculations. *Ethn Dis* 1992;2:207–21.

21. McEwen BS. Brain on stress: how the social environment gets under the skin. *Proc Natl Acad Sci U S A* 2012;109 (Suppl 2):17180–5.
22. Miller GE, Chen E, Parker KJ. Psychological stress in childhood and susceptibility to the chronic diseases of aging: moving toward a model of behavioral and biological mechanisms. *Psychol Bull* 2011;137:959–97.
23. Chen E, Shalowitz MU, Story RE, Ehrlich KB, Levine CS, Hayen R, Leigh AKK, Miller GE. Dimensions of socioeconomic status and childhood asthma outcomes: evidence for distinct behavioral and biological associations. *Psychosom Med* 2016;78:1043–52.
24. Luecken LJ, Jewell SL, MacKinnon DP. Prediction of postpartum weight in low-income Mexican-origin women from childhood experiences of abuse and family conflict. *Psychosom Med* 2016;78:1104–13.
25. Tomfohr-Madsen LM, Bayrampour H, Tough S. Maternal history of childhood abuse and risk of asthma and allergy in 2-year-old children. *Psychosom Med* 2016;78:1031–42.
26. McLaughlin KA, Basu A, Walsh K, Slopen N, Sumner JA, Koenen KC, Keyes KM. Childhood exposure to violence and chronic physical conditions in a national sample of US adolescents. *Psychosom Med* 2016;78:1072–83.
27. Hagan MJ, Roubinov DS, Adler NE, Boyce WT, Bush NR. Socioeconomic adversity, negativity in the parent child-relationship, and physiological reactivity: an examination of pathways and interactive processes affecting young children's physical health. *Psychosom Med* 2016;78:998–1007.
28. Whalen DJ, Belden AC, Tillman R, Barch DM, Luby JL. Early adversity, psychopathology, and latent class profiles of global physical health from preschool through early adolescence. *Psychosom Med* 2016;78:1008–18.
29. Loucks EB, Huang Y-T, Agha G, Chu S, Eaton CB, Gilman SE, Buka SL, Kelsey KT. Epigenetic mediators between childhood socioeconomic disadvantage and mid-life body mass index: the New England Family Study. *Psychosom Med* 2016;78:1053–65.
30. Winning A, Glymour MM, McCormick MC, Gilsanz P, Kubzansky LD. Childhood psychological distress as a mediator in the relationship between early-life social disadvantage and adult cardiometabolic risk: evidence from the 1958 British Birth Cohort. *Psychosom Med* 2016;78:1019–30.
31. Stroud LR, Papandonatos GD, Parade SH, Salisbury AL, Phipps MG, Lester BM, Padbury JF, Marsit CJ. Prenatal major depressive disorder, placenta glucocorticoid and serotonergic signaling, and infant cortisol response. *Psychosom Med* 2016;78:979–90.
32. Schnepfer LM, Brooks-Gunn J, Notterman DA, Suomi SJ. Early-life experiences and telomere length in adult rhesus monkeys: an exploratory study. *Psychosom Med* 2016;78:1066–71.
33. Baldwin JR, Arseneault L, Odgers C, Belsky DW, Matthews T, Ambler A, Caspi A, Moffitt TE, Danese A. Childhood bullying victimization and overweight in young adulthood: a cohort study. *Psychosom Med* 2016;78:1094–1103.
34. de Rooij SR, Jones A, Phillips DI, Osmond C, Karemaker JM, Roseboom TJ, Painter RC. Prenatal undernutrition and autonomic function in adulthood. *Psychosom Med* 2016;78:991–97.
35. You DS, Meagher MW. Childhood adversity and pain sensitization. *Psychosom Med* 2016;78:1084–93.
36. Bush NR, Lane RD, McLaughlin KA. Mechanisms underlying the association between early-life adversity and physical health: charting a course for the future. *Psychosom Med* 2016;78:1114–19.